

THINGS+: New Norms and Metadata for the THINGS Database of 1,854 Object Concepts and 26,107 Natural Object Images

BACKGROUND

- Need for well curated object concepts and image stimuli
- But: most classical object & image databases face several limitations
 - e.g., too small, unstandardized selection, non-naturalistic images ...

THINGS database (Hebart et al., 2019)

- 1,854 systematically selected object concepts
- 26,107 naturalistic images of those objects
- Memberships for 27 higher-level categories




THINGS+: New object & image specific norms, metadata & license free object images

METHOD

- 8,353 individual workers from Amazon Mechanical Turk

Object Specific Norms & Metadata

- (1) Object property ratings (7-point Likert scale; N=40/obj.)
manmadedness, aliveness, heaviness, naturalness, ability to move, grasability, holdability, ability to be moved, preciousness, pleasantness, & arousal level



- (2) + 26 manually assigned **higher-level category** memberships

- (3) **Typicality ranks** (N≈100/member)

- (4) Real-world **size** and **size range** (N=50/obj.)





Image Specific Norms & Metadata

- (5) Participant generated **image labels** (N=20/image)


- concept nameability (% identical labels)
- recognizability (% identical or synonymous labels)
- naming consistency (% most common label)

- (6) 1,854 novel, manually selected **public domain images**


- Image-wise distribution of concept naming consistency, nameability & recognizability



- Object properties of four example concepts




- Ratings consistency (split-half reliability) & correlation of object norms with external data sets



* Spearman-Brown corrected

- Sensitivity (% equally categorized members) per higher-level category



DISCUSSION

Conclusion

- THINGS+ = valuable resource of object concepts, object images, & related norms and metadata
- Allows elaborate and standardized selection of stimuli & control variables
- **THINGS Initiative:** Comparing results & sharing data

Limitations

- Low to moderate validity of arousal ratings
- Inconsistent definition of exclusion criteria
- Compromises due to availability or efficiency

Future directions

- Image curvature & rectilinearity
- Image segmentation
- what else?



THINGS Initiative

<https://doi.org/10.31234/osf.io/7peqx>

Banks, B., & Connell, L. (2021). Category Production Norms for 117 Concrete and Abstract Categories. [10.31234/osf.io/7peqx](https://doi.org/10.31234/osf.io/7peqx).

Binder, J. R., Desai, R. H., Graves, W. W., & Conant, L. L. (2009). Where is the semantic market? A critical review and meta-analysis of 120 functional neuroimaging studies. *Cerebral cortex*, 19(12), 2767–2796.

Bradley, M. M., & Lang, P. J. (1994). Measuring emotion: The Self-Assessment Manikin and the Semantic Differential. *Journal of behavior therapy and experimental psychiatry*, 25, 49–59.

Bradley, M. M., & Lang, P. J. (1999). Affective norms for English words (ANEW): Instruction manual and affective ratings. Technical Report C-1, The Center for Research in Psychophysiology, University of Florida.

Hebart, M. N., Dicker, A. H., Kidder, A., Kwok, W. Y., Corriveau, A., van Wicklin, C., & Baker, C. I. (2019). THINGS: A database of 1,854 object concepts and more than 26,000 naturalistic object images. *PLoS ONE*, 14(10).

Hebart, M. N., Zheng, C. Y., Pereira, F., & Baker, C. I. (2020). Revealing the multidimensional mental representations of natural objects underlying human similarity judgements. *Nature human behaviour*, 4(11), 1173–1185.

Konkle, T., Oliva, A. (2011). Canonical Visual Size for Real-World Objects. *J Exp Psychol Hum Percept Perform*, 37(1), 23–37.

Rosch, E. (1975). Cognitive Representations of Semantic Categories. *Journal of Experimental Psychology*, 104(3), 192–223.

Sudre, G., Pomerleau, D., Palatucci, M., Wehrbe, L., Fyshe, A., Salmon, R., & Mitchell, T. (2012). Tracking neural coding of perceptual and semantic features of concrete nouns. *NeuroImage*, 62(1), 451–463.

Uyeda, K. M., & Mandler, G. (1980). Prototypicality norms for 28 semantic categories. *Behavior Research Methods & Instrumentation*, 12(6), 587–595.